

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A composition for repairing injured skin comprising 50 to 90% by weight of saccharide, 0.5 to 10% by weight of povidone-iodine, 0.1 to 20% by weight of water and ~~0.01 to 10%~~ 0.3 to 5% by weight of phospholipid.

Claim 2 (Original): The composition for repairing injured skin according to claim 1, wherein the saccharide is white soft sugar.

Claim 3 (Original): The composition for repairing injured skin according to claim 1 or claim 2, wherein the phospholipid is a natural phospholipid or a hydrogenated phospholipid.

Claim 4 (Currently Amended): The composition for repairing injured skin according to ~~any one of claims 1 to 3~~ claim 1, wherein the pH of the composition is 3.5 to 6.

Claim 5 (New): The composition according to claim 1, comprising 60 to 80% by weight of saccharide.

Claim 6 (New): The composition according to claim 1, comprising 70% by weight of saccharide.

Claim 7 (New): The composition according to claim 1, wherein the saccharide is selected from the group consisting of white soft sugar, glucose, honey and molasses.

Claim 8 (New): The composition according to claim 1, comprising 1 to 7% by weight of povidone-iodine.

Claim 9 (New): The composition according to claim 1, comprising 2 to 6% by weight of povidone-iodine.

Claim 10 (New): The composition according to claim 1, comprising 0.3 to 15% by weight of water.

Claim 11 (New): The composition according to claim 1, comprising 0.5 to 12% by weight of water.

Claim 12 (New): The composition according to claim 1, wherein the phospholipid is selected from the group consisting of natural phospholipids, synthetic phospholipids and hydrogenated phospholipids.

Claim 13 (New): The composition according to claim 1, further comprising at least one selected from the group consisting of solubilizing agents, surface active agents and thickener agents.

Claim 14 (New): The composition according to claim 1, wherein the composition further comprises a solubilizing agent selected from the group consisting of potassium iodine, sodium iodine, glycerol, polyethyleneglycol(macrogol) 400, polyethyleneglycol(macrogol) 1500, polyethyleneglycol (macrogol) 4000, polyethyleneglycol(macrogol) 6000, polypropyleneglycol, propyleneglycol and dipropyleneglycol.

Claim 15 (New): The composition according to claim 1, wherein the composition further comprises a surface active agent selected from the group consisting of poly(oxyethylene)-(105)poly(oxypropylene)(5)glycol, poly(oxyethylene)(120)poly(oxypropylene)(40)glycol, poly(oxyethylene)(160)poly(oxypropylene)(30)glycol, poly(oxyethylene)(196)poly(oxypropylene)(67)glycol, poly(oxyethylene)(20)poly(oxypropylene)(20)glycol, poly(oxyethylene)(200)poly(oxypropylene)(70)glycol, poly(oxyethylene)(3)poly(oxypropylene)(17)glycol, poly(oxyethylene)(42)poly(oxypropylene)(67)glycol, poly(oxyethylene)(54)poly(oxypropylene)(39)glycol, poly(oxyethylene) hydrogenated castor oil, polysorbate, and sorbitan monostearate.

Claim 16 (New): The composition according to claim 1, wherein the composition further comprises a thickener agent selected from the group consisting of pullulan, sodium carboxymethylcellulose, sodium alginate, povidone, carboxyvinyl polymer, methylcellulose, agar, and gelatin.

Claim 17 (New): The composition according to claim 1, wherein the phospholipid is hydrogenated soybean phospholipid.

Claim 18 (New): The composition for repairing injured skin according to claim 2, wherein the pH of the composition is 3.5 to 6.